

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name : Vi-Pro Easy To Clean – Universal Cleaner for glass and non porous substrates

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: cleaning/washing agents and additives.

Uses advised against: No known uses advised against.

1.3 Details of the supplier of the safety data sheet:

Producer: Proventuss Bulgaria
Address: Sredorek 5 St, 1619 Sofia, Bulgaria
Telephon: +359 2 957 1544
E-mail address of the person responsible: sofia@proventuss.com

Distibutor: Proventuss Polska Sp. z o.o.
Address: ul. Flisa 4, 02-247 Warszawa, Polska
Telephon: +48 22 122 85 49
E-mail address of the person responsible: reach@vi-pro.eu

1.4 Emergency telephone number:

General emergency number 112

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2

H225: Highly flammable liquid and vapour.

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Eye irritation, Category 2

H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure Category 3:

H336: May cause drowsiness or dizziness.

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms



DANGER

Hazard statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated

P280 Wear protective gloves/ protective clothing

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Supplemental Hazard Statements:

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazardous components which must be listed on the label: Propan-2-ol

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

2.3 Other hazards:

Flammable liquid substance accumulating electrostatic charge. Vapours may form an explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances - not applicable.

3.2. Mixtures

Chemical name	Identification	Classification	Concentration [% wag.]
Propan-2-ol	CAS 67-63-0 EINECS 200-661-7 Index 603-117-00-0 REACH 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	45-55
Aceton	CAS 67-64-1 EINECS 200-662-2 Index 606-001-00-8 REACH 01-2119471330-49-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	45-55

Substances for which maximum workplace concentrations have been established: propan-2-ol, acetone.

Full text of H-phrases in section 16 of the Safety Data Sheet.

4. FIRST - AID MEASURES

4.1 Description of first aid measures

General comments:

In the event of an accident/accident or if you feel unwell, seek medical advice immediately. Seek medical advice if symptoms persist or in any doubt.

Protection of first aiders:

First aiders should take care of their own safety and use personal protective equipment in case of potential exposure.

After inhalation exposure:

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Remove to fresh air in case of inhalation. Obtain medical attention if symptoms occur.

After skin contact:

In case of skin contact, rinse skin immediately with plenty of water. Get medical attention if symptoms occur.

After eye contact:

In case of eye contact immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if used and can be easily removed. Seek medical advice.

After ingestion:

In case of ingestion DO NOT induce vomiting. Obtain medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed:

Irritating to eyes. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively:

Treat symptomatically and supportively.

5. FIRE - FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: water spray, alcohol-resistant foam, carbon dioxide (CO₂), dry extinguishing agents

Unsuitable extinguishing media: strong jet of water.

5.2 Special hazards arising from the substance or mixture:

Specific hazards during firefighting: do not use a dense stream of water as it may disperse and spread the fire. Flashback may occur over a considerable distance. Vapours may form an explosive mixture with air,. Exposure to products of combustion may cause health hazards. Hazardous combustion products : Carbon oxides and other unidentified pyrolysis products.

5.3 Information for fire-fighters:

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Special protective equipment for firefighters: Wear closed-circuit breathing apparatus in case of fire. Wear personal protective equipment.

Special extinguishing methods: Use extinguishing agents suitable for local conditions and the environment. Use water spray to cool closed containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Personal precautions: Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. Follow recommendations for safe handling and use of personal protective equipment.

6.2 Environmental precautions:

Prevent release into the environment. Prevent further leakage or spillage if safe to do so. Prevent spillage over large areas (e.g. using bunds or oil barriers). Retain and dispose of contaminated wash water. Notify local authorities if a significant amount of product is released.

6.3 Methods and material for containment and cleaning up:

Methods for cleaning up: Do not use sparking tools. Absorb in inert absorbent material. Suppress (beat off) gases/vapours/mist with water spray. In case of large spillages, contain the spill using bunding or other suitable remedial methods. If diked material can be pumped out, store recovered material in a suitable container. Remove any remaining material from the spill using a suitable absorbent. The release and disposal of this material and the materials and items used to clean up the release may be covered by local or national regulations. It should be determined which regulations apply. Sections 13 and 15 of this Safety Data Sheet contain information on certain local or national requirements.

6.4 References to other sections:

See Sections: 7, 8, 11, 12 i 13.

7. HANDLING AND STORAGE OF SUBSTANCES AND MIXTURES

7.1 Precautions for safe handling

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Technical precautions: Ensure that all equipment is electrically earthed before handling. Due to its physical properties, the product can accumulate electrostatic charges, which can be a source of ignition for vapours.

Since earthing and proper electrical connections may not eliminate the hazards caused by the accumulation of electrostatic charge, to avoid the risk of fire, an inert gas atmosphere should be provided before starting transport work. Limit the flow rate to reduce the accumulation of electrostatic charge.

Local/general ventilation: Use local exhaust ventilation. Use only in rooms equipped with explosion-proof exhaust ventilation.

Advice on safe handling: Do not allow contamination of skin or clothing. Do not inhale vapours or spray liquid. Do not swallow. Avoid contact with eyes. Use in accordance with safety and hygiene rules.

Do not use sparking tools. Keep container tightly closed. Keep away from sources of heat and sources of ignition. Take precautionary measures against electrostatic discharges. Take care to prevent spillage, waste and minimise release to the environment.

Hygiene measures:

Provide eyewash facilities and safety showers near workstations. Do not eat, drink or smoke when using the product. Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers: Store in properly labelled containers. Store under seal. Keep containers tightly closed. Store in a cool, well-ventilated place. Store in accordance with relevant national legislation. Store away from heat and sources of ignition.

Advice on joint storage: Do not store with products of the following types: strong oxidisers; organic peroxides; flammable solids; pyrophoric liquids; pyrophoric solids; substances and mixtures which emit flammable gases on contact with water; explosive substances.

7.3 Specific end use(s)

These precautions apply at room temperature. Use at elevated temperatures or aerosol/spray applications may require additional precautions.

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

8 . EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Maximum permissible concentrations and intensities of harmful factors for health in the work environment - legal basis: Regulation of the Minister of Labour and Social Policy of 2018, as amended, on maximum permissible concentrations and intensities of harmful factors for health in the work environment Dz. U. No. 2014, item 817 as amended.

Name component	Number CAS	NDS	NDSch	NDSP	DSB
Propan-2-ol	67-63-0	900 mg/m ³	1.200 mg/m ³	—	—
Aceton	67-64-1	600 mg/m ³	1.800 mg/m ³	—	—

Inne wartości

Name component	Number CAS	Type of value (form of exposure)	Control parameters	Legal basis
Propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m ³	GB EH40
		STEL	500 ppm 1,250 mg/m ³	GB EH40
Aceton	67-64-1	TWA	500 ppm 1,210 mg/m ³	2000/39/EC
Further information	Indicative values			
		TWA	500 ppm 1,210 mg/m ³	GB EH40
		STEL	1,500 ppm 3,620 mg/m ³	GB EH40

Pochodny nie powodujący efektów Poziom (DNEL) zgodnie z rozp. (WE) nr 1907/2006:

Name of substance	Final use	Exposure route	Potential health effects	Value
Aceton	Employees	airways	Chronic systemic effects	1210 mg/m ³
			Acute local effects	2420 mg/m ³
	Consumers	airways	Chronic systemic effects	186 mg/kg
			Chronic systemic effects	200 mg/m ³
		skin	Chronic systemic effects	62 mg/kg m.ciała/dzień
			Chronic systemic effects	62 mg/kg m.ciała/dzień
Propan-2-ol	Employees	airways	Chronic systemic effects	500 mg/m ³
	Employees	skin	Chronic systemic effects	888 mg/kg m.ciała/dzień

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

	Consumers	airways	Chronic systemic effects	89 mg/m ³
	Consumers	skin	Chronic systemic effects	319 mg/kg m.ciała/dzień
	Consumers	swallowing	Chronic systemic effects	26 mg/kg m.ciała/dzień

Przewidywane stężenie niepowodujące zmian w środowisku (PNEC) zgodnie z rozp. (WE) nr 1907/2006:

Name of substance	Environment	Value
Aceton	Fresh water	10.6 mg/l
	Seawater	1.06 mg/l
	Periodic use/release	21 mg/l
	Microorganisms during wastewater treatment	100 mg/l
	Freshwater sediments	30.4 mg/kg
Propan-2-ol	Marine sediments	3.04 mg/kg
	Soil	29.5 mg/kg
	Fresh water	140.9 mg/l
	Seawater	140.9 mg/l
	Periodic use/release	140.9 mg/l
	Microorganisms during wastewater treatment	2251 mg/l
	Freshwater sediments	552 mg/kg
	Marine sediments	552 mg/kg
	Soil	28 mg/kg
	Food chain	160 mg/kg

8.2 Exposure controls and protective equipment

General requirements: Minimise exposure concentrations in the workplace. Use only in rooms equipped with explosion-proof exhaust ventilation. Use local exhaust ventilation.

Eye protection: Use the following personal protection equipment: safety goggles, face protection.

Hand protection - material: Antistatic gloves, impervious gloves, flame-resistant gloves. The type of chemical-protective gloves should be chosen depending on the concentration and quantity of hazardous agents in the workplace. Breakthrough time is not specified for the product. Change gloves frequently! For special use, contact the protective glove manufacturer to determine the chemical resistance of the above-mentioned gloves. Wash hands before meals and after work.

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Skin and body protection: Select suitable protective clothing on the basis of chemical resistance data and an assessment of local potential exposure. Use the following personal protective equipment: Flame retardant antistatic protective clothing. Avoid skin contact by using impermeable protective clothing (gloves, aprons, footwear, etc.).

Respiratory protection: Use upper respiratory protection if adequate local exhaust ventilation is not provided or if exposure assessment indicates that exposure exceeds recommended exposure guidelines. Filter type: closed-circuit breathing apparatus.

Thermal hazards: Use at elevated temperatures or aerosol/spray applications may require additional precautions.

Environmental exposure controls: Do not allow to spread in the environment or to enter drains and watercourses.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	solvent-like
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point	75C
Flash point	-18 °C Method: Tag closed cup
Evaporation rate	No data available
Flammability (solid, gas)	n.a.
Vapour pressure	No data available
Relative vapour density	No data available
Relative density	0.79
Solubility(ies)	
Water solubility	fully miscible
Partition coefficient: n- octanol/water	No data available
Auto-ignition temperature	No data available

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Decomposition temperature	No data available
Viscosity	2 mPa.s
Particle characteristics	Not applicable
Explosive properties	no
Oxidizing properties	no

9.2 Other information

No additional information.

Explosive properties	none
Oxidising properties	none shown

10. STABILITY AND REACTIVITY

10.1 Reactivity

Not classified as a reactivity hazard. Not subject to hazardous polymerisation.

10.2 Chemical stability

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

Highly flammable liquid and vapour. Vapours may form explosive mixtures with air. May react with strong oxidising agents.

10.4 Conditions to avoid

Avoid all possible sources of fire, sparks or flames.

10.5 Incompatible materials

Avoid oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition products are not known.

11. TOXICOLOGICAL INFORMATION

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

11.1 Information on toxicological effects

Acute toxicity:

Not classified based on available information.

Components:

Propan-2-ol:

Acute oral toxicity	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat): 72.6 mg/l, Exposure time: 4 h, vapour
Acute dermal toxicity	LD50 (Rat): > 5,000 mg/kg

Acetone:

Acute oral toxicity	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat): > 40 mg/l, Exposure time: 4 h, vapour
Acute dermal toxicity	LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation:

Repeated exposure may cause drying or cracking of the skin!

Propane-2-ol: Species: rabbit Result: No skin irritation

Acetone: Result: Repeated exposure may cause drying or cracking of the skin.

Serious eye damage/eye irritation:

Highly irritating to the eyes.

Respiratory or skin sensitisation:

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity:

Not classified based on available information.

Carcinogenicity:

Not classified based on available information

Propan-2-ol: Species: rat Dose route: inhalation (vapour) Exposure time: 104 weeks
Method: OECD Test Directive 451 Result: negative

Acetone: Species: mouse Dose route: dermal Exposure time: 1 year Result: negative

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Reproductive toxicity

Not classified based on available information

Toxic effects on target organs - single exposure

May cause drowsiness or dizziness.

Propan-2-ol: Result: May cause drowsiness or dizziness.

Acetone: Result: May cause drowsiness or dizziness.

Toxic effects on target organs - repeated exposure

Not classified based on available information

Repeated dose toxicity

Propan-2-ol: Species: rat NOAEL: 5000 ppm Dose route: inhalation (vapour) Exposure time:
104 weeks Method: OECD Test Directive 413

Acetone: Species: rat LOAEL: 1,700 mg/kg Dose route: oral Exposure time: 90 days

Inhalation toxicity

Not classified based on available information

11.2 Information on other hazards

Health effects due to endocrine disrupting properties - no data available.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Components:

Propan-2-ol:

Toxicity to fish:

LC50 (Pimephales promelas (fathead minnow)): 10000 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia magna (Water flea)): > 10000 mg/l Exposure time: 24 h

Toxicity to bacteria:

EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16h

Acetone:

Toxicity to fish:

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

LC50 (Pimephales promelas (fathead minnow)): 6,210 - 8,120 mg/l, Exposure time: 96 h, OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia pulex (Water flea)): 8,800 mg/l, 48h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):

NOEC: 1106 - 2212 mg/l, Exposure time: 28 d, Species: Daphnia magna (Water flea)

12.2. Persistence and degradability

Both components are rapidly degradable.

12.3. Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n- octanol/water log Pow: 0.05

Acetone:

Partition coefficient: n- octanol/water log Pow: 0.24

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

General information

Waste is not classified as hazardous. Hand over to a licensed waste disposal company in accordance with in accordance with local regulations.

13.1 Waste disposal methods

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Product: Dispose of in accordance with local regulations. According to the European Waste Catalogue, waste codes result from the use of the product and not its properties. Waste codes should be defined by the user especially in consultation with local waste management authorities.

Packaging: Empty packaging should be taken to an approved landfill site for recycling or disposal. Do not burn, torch cut empty used containers. Unless otherwise specified: dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number or ID number

UN 1993

14.2 UN proper shipping name

ADR/RID/ADN FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, acetone)

IMDG/ IATA FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, Acetone)

14.3 Transport hazard class(es)

3

14.4. Packing group

II

14.5. Environmental hazards

Dangerous for the environment - the product is not hazardous for the aquatic environment.

14.6. Special precautions for user

Not applicable

14.7. Sea transport in bulk according to IMO instruments

Not applicable for the product as delivered.

ADN

Packing group	II
Classification Code	F1
Hazard Identification Number	33
Labels	3

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

ADR

Packing group	II
Classification Code	F1
Hazard Identification Number	33
Labels	3
Tunnel restriction code	(D/E)

IATA (Cargo)

Packing instruction (cargo aircraft)	364
Packing instruction (LQ)	Y341
Packing group	II
Labels	3

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: Not applicable.

REACH - Candidate list of substances of very high concern Authorisation (Art. 59): Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer: Not applicable

Seveso III: Directive 2012/18/EC of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances

P5c LIQUIDS Quantity 1 = 5000 t, Quantity 2 = 50000 t

The ingredients of this product are listed in the following lists:

REACH: All ingredients supplied by IPS are currently/provisional registered or exempted from registration

under REACH

IECSC: All ingredients listed or exempted.

ENCS/ISHL: All ingredients are listed on ENCS/ISHL or excluded from the compilation of stock lists.

Act of 25 February 2011 on chemical substances and their mixtures (Journal of Laws No. 63, item 322, as amended).

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

Regulation of the Minister of Labour and Social Policy of 6 June 2014 on the maximum permissible concentrations and intensities of factors harmful to health in the working environment (Journal of Laws 2014, item 817).

Regulation of the Minister of Economy of 21 December 2005 on the essential requirements for personal protective equipment (Dz. U. No. 259, item 2173).

Act on waste of 14 December 2012. (Journal of Laws 2013, item 21).

Act on packaging and packaging waste management of 13 June 2013 (Journal of Laws 2013, item 888).

1272/2008/EC Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

1907/2006/EC Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EC

and 2000/21/EC as amended. 2020/878 Commission Regulation amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

2008/98/EC Directive of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

94/62/EC European Parliament and Council Directive of 20 December 1994 on packaging and packaging waste.

15.2 Chemical safety assessment

Not required.

16. OTHER INFORMATION

Full text of H-Statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Full text of abbreviations:

Eye Irritation Eye Irritation

Flam. Liq. Flammable liquids

STOT SE Toxic effects on target organs - single exposure

GB EH40 UK. EH40 WEL United Kingdom Occupational Exposure Limit

STEL Short-term exposure limit value

Safety Data Sheet

Prepared in accordance with Annex II of REACH Regulation (EC) 1907/2006 with its amendment Regulation (EU) 2020/878

Vi-Pro® EASY TO CLEAN

Version: 2.0/EN

Date: 02.01.2023

TWA	Time Average Exposure Limit Value
ADR Goods by Road	European Agreement concerning the International Carriage of Dangerous Goods by Road
vPvB	Very Persistent and very Bioaccumulative.
PBT	Persistent, bioaccumulative and toxic.
IC50	Half maximal inhibitory concentration
LC50	Concentration of toxic substance causing the death of 50% of a population group of test organisms
LD50	Dose necessary to cause the death of 50% of the test population (median lethal dose)

The information contained in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the time of its publication. The information provided has been prepared only as a guide to the safe handling, use, processing, storage, transport and disposal and release of the product and is not to be taken as a guarantee or quality specification. This information applies only to the designated, specified material and may become invalid if the material is used in combination with any other materials or in any technological process, unless specified in this text. Users of the material should review the information and recommendations in the specific context of their intended handling, use, processing and storage of the product taking into account an assessment of the suitability of the material of this Safety Data Sheet in the user's end product, insofar as this assessment is applicable.

Revision date: 02.01.2023 r.

Version: 2.0/EN

Amendments: adaptation of the provisions of the Safety Data Sheet to the requirements of Regulation 2020/878

End of SDS.